





LPPF-P is a projecting flag sign in a portrait configuration.

This is a curved triangle shaped double sided sign with top and bottom anodized aluminum machined end caps attached to Leader Prestige profiles, which are projected out of a mounting base plate with specially designed silver polished brass spacers. This design creates a unique appearance.

The LPPF-P is available in four widths: 124, 168, 230 and 320mm with endless height options.

All presented height options are commonly used sizes; however, customized heights are available upon request.

The Leader prestige features unique rounded micro snap side profiles, allowing a fast and simple insert change without compromising its elegance. The side clips are offered in 5 spectacular colored anodized finishes: Silver, gold, black, red, and blue.

The LPPF-P features a unique mounting technique. The base plate and the sign unit are locked together using special cylindrical spacers that conveniently allow the base plate to be installed separately.






PRESTIGE Projecting Flags | Portrait





Side clips are offered in 5 colored anodized finishes: Silver, gold, black, red and blue.



 Ξ

Swivel side snap clip profiles outward to remove inserts



4

A unique mounting technique using special cylindrical spacers which conveniently allow the base plate to be installed separately from the sign frame



LPPF-P-W-H-CF

LPPF	System Type - Leader Prestige Projecting Flags
Р	Sign layout - Portrait

W Sign Unit Width - mm

H Sign Unit Height - mm

CF Clips Finish S = Silver anodized
G = Gold anodized

G = Gold anodized **R** = Red anodized **BL** = Blue anodized

BK = Black anodized

Commonly used unit height (other unit height can be ordered by demand)











LPPF-P-168


Commonly used unit height (other unit height can be ordered by demand)













168mm


LPPF-P-230


Commonly used unit height (other unit height can be ordered by demand)











LPPF-P-320

Commonly used unit height (other unit height can be ordered by demand)



