


# wall frames | Portrait





**LV-P** is the Leader View wall frame in a portrait configuration.

The LV-P is offered in five profile width options: 70, 94, 124, 170 and 230mm with endless height options.

The plastic end caps are available in three finishes to choose from: Gray ABS, Black ABS and Chrome plated ABS. Machined anodized aluminum end caps are an option as well.

These frames' insert widths are designed to fit the following DIN standard paper sizes: A8-A4.

All presented width options are commonly used sizes; however, customized heights are available upon request.

A variety of insert materials such as: printed paper, ADA in photopolymer, engraved PVC, etched thin aluminum, silk printed plaques (and many other flexible substrates up to 1.6mm thick) can be used to create endless designs.

The smooth surface of the LV-P profile is suitable for direct application of vinyl graphics. All units are supplied with a clear polycarbonate protective lens which can be removed using our silicone suction cup for an easy insert removal.

The installation is very simple; a double sided self-adhesive tape can be applied to the back of the frame, or concealed screws can be used as well through the built-in channels.








A divided sign frame using a permanent anodized top and bottom strips with an interchangeable center section.



An easy insert removal using our silicone suction



An easy installation using double sided selfadhesive tape on the back



Five standard profile width options: 70, 94, 124, 170 and 230mm





Plastic end caps are available in three finishes to choose from: Gray ABS, Black ABS and Chrome plated ABS.


|    | LV-P-W-H-EC   |
|----|---|
| LV | System Type - Leader View                                     |
| P  | Sign layout - Portrait  |
| W  | Sign Unit Width - mm  |
| Н  | Sign Unit Height - mm   |
| EC | End caps finish GR - Grey<br>BK - Black<br>CR - Chrome Plated |
|    |   |





# Commonly used unit height (other unit height can be ordered by demand)











# Commonly used unit height (other unit height can be ordered by demand)








### LV-P-124



# Commonly used unit height (other unit height can be ordered by demand)


















# Commonly used unit height (other unit height can be ordered by demand)














# LV-P-230



# Commonly used unit height (other unit height can be ordered by demand)

